

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE

PAGE OF PAGES

2. AMENDMENT/MODIFICATION NO.

0004

3. EFFECTIVE DATE

27 Aug 04

4. REQUISITION/PURCHASE REQ. NO.

5. PROJECT NO. (If applicable)

6. ISSUED BY

CODE

7. ADMINISTERED BY (If other than Item 6)

CODE

District Engineer
U.S. Army Engineer District, Philadelphia
Wanamaker Building, 100 Penn Square East
Philadelphia, PA 19107-3390

US Army Engineer District, Philadelphia
POC: Denise DeTitta
Wanamaker Building, 100 Penn Square East
Philadelphia, PA 19107-3390

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)

(✓)

9A. AMENDMENT OF SOLICITATION NO.

X

W912BU-04-B-0025

9B. DATED (SEE ITEM 11)

August 2, 2004

10A. MODIFICATION OF CONTRACTS/ORDER NO.

10B. DATED (SEE ITEM 13)

CODE

FACILITY CODE

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS



The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☒ is extended, ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 0 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

New Stone Seawall, Hereford Inlet, Townsend Inlet to Cape May Inlet Shoreline Protection, Cape May County, NJ

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(✓)

A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.

B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).

C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:

D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not, ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

THIS AMENDMENT EXTENDS THE BID OPENING DATE TO SEPTEMBER 14, 2004

a. STANDARD FORM 1442 (SOLICITATION, OFFER, AND AWARD): Please delete the Standard Form 1442 (SOLICITATION, OFFER, AND AWARD) in its entirety and substitute with the revised form annotated as Amendment No. 0004 which is attached hereto.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)

16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)

15B. CONTRACTOR/OFFEROR

15C. DATE SIGNED

16B. UNITED STATES OF AMERICA

16C. DATE SIGNED

(Signature of person authorized to sign)

BY

(Signature of Contracting Officer)

14. DESCRIPTION OF AMENDMENT (continued)

b. TECHNICAL SPECIFICATIONS:

(1) Section 01010 - SUMMARY OF WORK:

(a) Paragraph 1.4.3 entitled "Construction from Land or Water" - Please replace the last sentence of the last (third) paragraph with the following:

"The excavated sand shall be placed, spread, and graded, evenly, between Stations 56+72 and 88+14, in a manner and at the location as directed by the COR."

(b) Please add the following paragraph at the end of this section:

"3.1 MEASUREMENT AND PAYMENT

The work specified in this section for any required temporary docking facilities and any required excavation for access will not be measured for payment. All costs in connection therewith shall be included in Base Bid Item No. 1 "Mobilization/Demobilization."

(2) Section 01720 - SURVEY REQUIREMENTS:

(a) Paragraph 3.4.1, entitled "Diver's Inspection" - Please delete the first sentence in this paragraph and substitute the following:

"In all areas where marine mattresses are being placed, the Contractor shall utilize divers to ensure that the mattresses are placed, as specified herein."

(b) Please add page 8 to the end of this section, annotated Amendment No. 0004, attached hereto.

(3) Section 02271 - SEAWALL CONSTRUCTION:

(a) Please delete Paragraph 3.10.4 entitled "Weighing of Reused Stone for Payment" in its entirety and substitute the following new paragraph:

"3.10.4 Weighing of Reused Stone for Payment

To determine its acceptability for reuse, existing stone shall be weighed by means of a load measuring device, used for weighing during lifting, and mounted on the Contractor's equipment (e.g. a load cell, hanging scale, or crane scale). In addition, a portable scale immediately adjacent to the work may be used. The measuring device and/or scale shall be subject to the approval of the COR. The measuring device and/or scale shall be calibrated, the method of which shall also be subject to the acceptance of the COR. Any stone, based on visual examination, with obvious plans of weakness or discontinuity shall not be reused."

c. CONTRACT DRAWINGS: Drawing No. 62438: Detail B - Please delete the reference to Note 3.

d. Please indicate receipt of this amendment on Standard Form 1442 (SOLICITATION, OFFER, AND AWARD) as Amendment No. 0004. Failure to acknowledge all amendments may be cause for rejection of the bid.

**SOLICITATION, OFFER,
AND AWARD***(Construction, Alteration, or Repair)*

1. SOLICITATION NO.

W912BU-04-B-0025

2. TYPE OF SOLICITATION

☒ SEALED BID (IFB)☐ NEGOTIATED (RFP)

3. DATE ISSUED

August 2, 2004

PAGE OF PAGES

IMPORTANT - The "offer" section on the reverse must be fully completed by offeror.

4. CONTRACT NO.

5. REQUISITION/PURCHASE REQUEST NO.

W25PHS41218976

6. PROJECT NO.

7. ISSUED BY

CODE

U.S. Army Engineer District, Philadelphia
Wanamaker Building, 100 Penn Square East
Philadelphia, PA 19107-3390

8. ADDRESS OFFER TO

U.S. Army Corps of Engineers
Wanamaker Building, 100 Penn Square East
Attention: CENAP-CT-C/DeTitta, Rm. 643
Philadelphia, PA 19107-3390

9. FOR INFORMATION



A. NAME

Denise DeTitta

B. TELEPHONE NO. (Include area code) (NO COLLECT CALLS)

215-656-6775

SOLICITATION**NOTE:** In sealed bid solicitations "offer" and "offeror" mean "bid" and "bidder".

10. THE GOVERNMENT REQUIRES PERFORMANCE OF THE WORK DESCRIBED IN THESE DOCUMENTS (Title, identifying no., date):

PROJECT TITLE: New Stone Seawall, Hereford Inlet, Townsend Inlet to Cape May Inlet Shoreline Protection, Cape May County, NJ

INVITATION FOR BID NUMBER: W912BU-04-B-0025

ISSUE DATE: August 2, 2004

**** BID OPENING DATE: September 14, 2004, 11:00 a.m.**

THIS PROCUREMENT IS UNRESTRICTED

There will be a site visit on Wednesday, August 11, 2004 at 10:00 a.m. The site visit participants will meet in the parking lot at the intersection of Spruce and Old New Jersey Avenues. If you are interested in attending, please contact List Riddick at 215-656-6610 by 4:00 p.m. on August 09, 2004.

11. The Contractor shall begin performance within See SC-1 calendar days and complete it within See SC-1 calendar days after receiving

award,



notice to proceed. This performance period is



mandatory,



negotiable. (See

J

12A. THE CONTRACTOR MUST FURNISH ANY REQUIRED PERFORMANCE AND PAYMENT BONDS?
(If "YES," indicate within how many calendar days after award in Item 12B.)

YES



NO

12B. CALENDAR DAYS

10

13. ADDITIONAL SOLICITATION REQUIREMENTS:

A. Sealed offers in original and 1 copies to perform the work required are due at the place specified in Item 8 by 11:00 a.m. (hour) local time
Sep 14, 2004 (date). If this is a sealed bid solicitation, offers will be publicly opened at that time. Sealed envelopes
containing offers shall be marked to show the offeror's name and address, the solicitation number, and the date and time offers are due.B. An offer guarantee ☒ is, ☐ is not required.C. All offers are subject to the (1) work requirements, and (2) other provisions and clauses incorporated in the solicitation in full text or by
reference.D. Offers providing less than 60 calendar days for Government acceptance after the date offers are due will not be considered and
will be rejected.

SURVEY DATA FORMATS

a. Distance offset from Baseline Format (Comma Delimited)

```

7202.13      Station in feet (Do not include "+")
s sf1        Program requirement (Shall be the same for all stations)
58,5.9       Offset Right Landward, Elevation
50,6.3       "
30,7.5       "
17,6.0       "
10,4.6       "
5,4.0        "
-15,1.7      Offset Left Seaward, Elevation
-25,0.7      "
-40,-0.8     "
-50,-0.9     "
-100,-1.1    "
-250,-0.4    "
-600,-0.7    "
-1500,-3.2   "
E            End of Cross section
7729.45      Station in feet (Do not include "+")
s sf1        Program requirement (Shall be the same for all stations)
Etc.

```

b. Easting, Northing, and Elevation Format or XYZ Format (Comma Delimited)

```

7202.13      Station in feet (Do not include "+")
382475.74,30975.42,-37.3  Easting, Northing, and Elevation
382475.85,30974.85,-37.3  "
382476.06,30973.78,-37.4  "
382476.16,30973.25,-37.4  "
382476.28,30972.59,-37.5  "
382476.38,30972.10,-37.5  "
382476.50,30971.45,-37.4  "
382476.60,30970.98,-37.6  "
382476.73,30970.35,-37.4  "
382476.83,30969.84,-37.6  "
382476.96,30969.22,-37.3  "
382477.07,30968.68,-37.5  "
382477.20,30968.06,-37.3  "
382477.30,30967.52,-37.4  "
382477.40,30966.88,-37.2  "
382477.48,30966.32,-37.1  "
7729.45      Station in feet (Do not include "+")
382475.74,30975.42,-37.3  Easting, Northing, and Elevation
382475.85,30974.85,-37.3  "
Etc.
-- End of Section --

```